## **Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Original) A monoclonal antibody which specifically recognizes Aβ11-x peptides.
- 2. (Original) A monoclonal antibody according to claim 1 which specifically recognizes the first 5 to 7 human amino acids of the β-secretase\_11 cleavage site, *i.e.* Seq Id No.:1 and Seq Id No.:2 or the first 5 to 7 mouse amino acids of the β-secretase\_11 cleavage site, *i.e.* Seq Id No.:3 and Seq Id No.:4, as immunogens.
- 3. (Currently Amended) An antibody as claimed in claims 1 or 2 claim 1 that is detectably labeled.
- 4. (Original) An antibody as claimed in claim 3 wherein the detectable label is a radiolabel, an enzyme label, a luminescent label or a fluorescent label.
- 5. (Currently Amended) An antibody as claimed in any one of claims 1 to 4 claim 1 that is immobilized on a carrier.
- 6. (Currently Amended) A monoclonal antibody according to any one of claims 1 to 5, claim 1, expressed by the hybridoma cells J&JPRD/hAβ11/1 and J&JPRD/hAβ11/2 deposited at the Belgian coordinated collection of microorganisms on August 19, 2002 with accessionnumbers LMBP 5896CB and LMBP 5897CB respectively.
- (Original) The hybridoma cells J&JPRD/hAβ11/1 and J&JPRD/hAβ11/2 deposited at the Belgian coordinated collection of microorganisms on August 19, 2002 with accessionnumbers LMBP 5896CB and LMBP 5897CB respectively.

- 8. (Currently Amended) An immunoassay method for the determination or detection of Aβ11-x peptides in a sample, the method comprising contacting the sample with an antibody to Aβ11-x peptides as claimed in any one of claims 1 to 3 claim 1 and determining whether an immune complex is formed between the antibody and the Aβ11-x peptide.
- 9. (Currently Amended) A method for the detection of the presence of Aβ11-x peptides in a tissue sample, the method comprising:

obtaining a tissue sample from the body of a subject;

contacting the tissue sample with an imaging effective amount of a detectably labeled antibody as claimed in claims 3 or 4 claim 3; and

detecting the label to establish the presence of  $A\beta 11$ -x peptides in the tissue sample.

10. (Currently Amended) A method according to claim 9 for the detection of the presence of Aβ11-x peptides in a tissue sample, the method comprising:

obtaining a tissue sample from the body of a subject;

contacting the tissue sample with an imaging effective amount of a detectably labeled, monoclonal antibody which specifically recognizes A\beta11-x peptides; and

detecting the label to establish the presence of Aβ11-x peptides in the tissue sample;

wherein the antibody that is detectably labeled, is expressed by at least one of the hybridoma cells as claimed in claim 7.

11. (Currently Amended) A method for the detection of the presence of Aβ11-x peptides in a body fluid sample, the method comprising:

obtaining a body fluid sample from the body of a subject;

contacting the body fluid sample with an imaging effective amount of a detectably labeled antibody as claimed in claim 3; or 4; and

detecting the label to establish the presence of A $\beta$ 11-x peptides in the body fluid sample.

- 12. Canceled.
- 13. (Currently Amended) The use of a monoclonal antibody as claimed in any one of claims 1 to 6 which specifically recognizes Aβ11-x peptides in a method according to claims 9 or 10 claim 9.
- 14. (Currently Amended) The use of an antibody as claimed in any of claims 1 to 6 claim
  1 for the diagnosis of β-amyloid-related diseases.
- 15. (Currently Amended) A diagnostic composition comprising an antibody as claimed in any of claims 1 to 6 claim 1 and a pharmaceutically acceptable carrier.
- 16. (Currently Amended) An immunoassay kit for the diagnosis of β-amyloid-related diseases comprising an antibody as claimed in any of claims 2 to 5 claim 2 and carrier means for the antibody.